

"Express Mail" mailing label number EL 737389234 US

Date of Deposit 6-21-01

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" services under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Typed Name of Person Mailing Paper or Fee: Chris Griffin

Signature: Chris Griffin

**PATENT APPLICATION  
DOCKET NO. 10006174-1**

**INVENTORS:**

**ROBERT SESEK**

**ELECTRONIC DOCUMENT SENDER SYSTEM AND METHOD WITH  
EXTERNAL ADDRESS ACCESS**

10006174-1

## **ELECTRONIC DOCUMENT SENDER SYSTEM AND METHOD WITH EXTERNAL ADDRESS ACCESS**

5

### **The Field of the Invention**

The present invention relates to electronic document transmission and in particular, to accessing electronic addresses for electronic document transmission.

10

### **Background of the Invention**

With the use of a document scanner or digital sender, almost anyone can conveniently transform a paper document into an electronic one. Once the electronic image is formed, the electronic document can be stored, printed back into a paper document (e.g. copied), or be sent electronically via email or  
15 facsimile to a desired recipient. The recipient is identified by an electronic address such as electronic mail address, facsimile number, host address, uniform resource locator address, as well as other types of telecommunication and network addresses. These electronic addresses can be entered into the scanner or digital sender each time that a document is sent and/or stored in an electronic  
20 address book of the scanner or digital sender for future use.

Although the end result of sending documents electronically with these devices is convenient, sometimes preparing to send the documents is awkward. For example, many scanners have input devices such as limited alpha-numeric keypads that make entering target electronic address(es) cumbersome. This  
25 problem is particularly vexing and time-consuming for anyone desiring to enter multiple electronic addresses, such as in a distribution list. Moreover, since many scanners or digital senders in a business environment are used by many different people, it may not be desirable from a privacy perspective to enter a user's target address(es) into the memory of the scanner/sender. While nearby  
30 desktop computers might be available to assist in entering address information to the scanner/sender, this arrangement may also compromise the privacy of the user's electronic addresses and is equally time-consuming.

Accordingly, high volume use of conventional scanners and digital senders is hampered , particularly when a user desires to send an electronic document to multiple electronic addresses on a distribution list.

5

### **Summary of the Invention**

A method of electronic document sending of the present invention comprises importing an electronic address of at least one electronic document receiver from a mobile computing device into an electronic document sender and  
10 sending an electronic document from the electronic document sender to the electronic address.

An electronic document sender of the present invention comprises a communication module configured for electronically sending an electronic  
15 document to an electronic address of an electronic document receiver and configured for importing the electronic address of the electronic document receiver from a mobile computing device.

### **Brief Description of the Drawings**

20 Figure 1 is a block diagram of an electronic document sending system, according to one embodiment of the present invention.

Figure 2 is a flow diagram of an electronic document sending method, according to one embodiment of the present invention.

25 Figure 3 is a schematic illustration of an electronic document sending system, according to one embodiment of the present invention.

Figure 4 is a block diagram of a user interface of an electronic document sending system, according to one embodiment of the present invention.

Figure 5 is a block diagram of a menu of the user interface of Figure 4, according to one embodiment of the present invention.

30

### **Description of the Preferred Embodiments**

In the following detailed description of the preferred embodiments, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration specific embodiments in which the invention may be practiced. It is to be understood that other embodiments may be utilized and structural or logical changes may be made without departing from the scope of the present invention. The following detailed description, therefore, is not to be taken in a limiting sense, and the scope of the present invention is defined by the appended claims.

10           A method and system of electronic document sending of the present invention comprises importing an electronic address of an electronic document receiver from a mobile computing device into an electronic document sender and sending an electronic document from the electronic document sender to the electronic address. This method and system permits a user to walkup to an  
15           electronic document sender and immediately send a document to one or multiple electronic addresses without manually entering the addresses into the electronic document sender.

          Components of the present invention may be implemented in hardware via a microprocessor, programmable logic, or state machine, in firmware, or in  
20           software within a given device. In one aspect, at least a portion of the software programming is web-based and written in HTML and JAVA programming languages, including links to graphical user interfaces, such as a windows-based operating system. The components may communicate via a network using a communication bus protocol. For example, the present invention may or may  
25           not use a TCP/IP protocol suite for data transport. Other programming languages and communication bus protocols suitable for use with the present invention will become apparent to those skilled in the art after reading the present application. Components of the present invention may reside in software on one or more computer-readable mediums. The term computer-readable  
30           mediums as used herein is defined to include any kind of memory, volatile or non-volatile, such as floppy disks, hard disks, CD-ROMs, flash memory, read-only memory (ROM), and random access memory (RAM).

Preferably, the user interfaces described herein run on a controller, computer, appliance or other device having an operating system which can support one or more applications. The operating system is stored in memory and executes on a processor. The operating system is preferably a multi-tasking  
5 operating system which allows simultaneous execution of multiple applications, although aspects of this invention may be implemented using a single-tasking operating system. The operating system employs a graphical user interface windowing environment which presents the applications or documents in specially delineated areas of the display screen called "windows." Each window  
10 has its own adjustable boundaries which allow the user to enlarge or shrink the application or document relative to the display screen. Each window can act independently, including its own menu, toolbar, pointers, and other controls, as if it were a virtual display device. Other software tools may be employed via the window, such as a spreadsheet for collecting data. The operating system  
15 preferably includes a windows-based dynamic display which allows for the entry or selection of data in dynamic data field locations via an input device such as a keyboard and/or mouse. One preferred operating system is a Windows® brand operating system sold by Microsoft Corporation. However, other operating systems which provide windowing environments may be employed, such as  
20 those available from Apple Corporation or IBM. In another embodiment, the operating system does not employ a windowing environment.

An electronic document sending system according to the present invention is illustrated generally at 10 in Figure 1. System 10 includes mobile computing device 20, electronic document sender 30, and electronic document  
25 receiver 40. Mobile computing device 20 and electronic document sender 30 each include controller 64 and wireless communication module 66, while electronic document receiver 40 includes controller 64 and only optionally includes wireless communication module 66. Mobile computing device 20 also includes external address book 62, while system 10 further includes network  
30 communication link 68.

Electronic document sender 30 further includes imaging mechanism 67, user interface 70 having display 72 and keypad 74, and internal address book 75.

Electronic document sender 30 further optionally forms a portion of multi-function printer 76, scanner 78, or digital sender 80. Multifunction printer 76 includes the ability to copy documents as well as send electronic documents by facsimile or electronic mail.

5            Mobile computing device 20 is preferably configured as a handheld or notebook computer, personal digital assistant, or mobile phone, each being configured for wireless communication via wireless communication module 66. External address book 62 of mobile computing device 20 stores names, street addresses, phone numbers and electronic addresses of electronic communication  
10    devices and electronic computing devices with which the user may communicate.

            Electronic document sender 30 includes imaging mechanism 67 for transforming an image of a paper document into an electronic form, such as an electronic document, that can be stored digitally and/or electronically transported  
15    to a recipient (e.g., email, facsimile, or diskette). A paper document includes any physical object capable of being imaged, including but not limited to a transparency, plastic, as well as a metal or wood carving and other objects. Electronic document sender 30 may include any one of flatbed scanners, document feed scanners, handheld scanners, digital cameras as well as multi-  
20    function machines incorporating a scanning module, and digital senders. Electronic document sender 30 is programmable to permit selective functioning with, and wired and/or wireless communication with, mobile computing device 20 and electronic document receiver 40. Internal address book 75 of electronic document sender 30 holds names, street addresses, phone numbers and  
25    electronic addresses of electronic communication devices and electronic computing devices with which the user may communicate.

            Electronic document receiver 40 includes any device capable of receiving an electronic document through wired or wireless communication, such as a facsimile machine, a multifunction printer, a desktop computer, a mobile phone,  
30    a personal digital assistant (PDA), a host server, a portable computer, and a digital sender. Accordingly, electronic document receiver 40 further includes electronic address 82 which includes any one of an electronic mail address 84,

facsimile number 86, a host address 88, and a uniform resource locator address 90.

Controller 64 includes hardware, software, firmware or combination of these. In one preferred embodiment, controller 64 includes a computer server or  
5 other microprocessor based system capable of performing a sequence and logic operations. In addition, controller 64 can include a microprocessor embedded systems/appliance incorporating tailored appliance hardware and/or dedicated single purpose hardware.

Network communication link 68, as used herein, includes an internet  
10 communication link (e.g., the Internet), an intranet communication link, or similar high-speed communication link. In one preferred embodiment, network communication link 68 includes an Internet communication link 96. Network communication link 68 facilitates communication between mobile computing device 20, electronic document sender 30, and electronic document receiver 40.

15 Wireless communication between mobile computing device 20, electronic document sender 30, and electronic document receiver 40 is accomplished using wireless communication module 66 with one or more known communication and application protocols such as Wireless Application Protocol (WAP), Bluetooth, Infrared (IrDA, FiR), 802.11 as well as other communication  
20 and application protocols known to those skilled in the art. Of particular interest are wireless communication protocols such as infrared (e.g., FiR), Bluetooth, and 802.11 which permit direct radio or beamed communication between two or more compatible devices that operate independently of a network and independently of network communication link 68. This feature permits direct  
25 one-on-one communication between two similarly configured computing devices without any communication intermediary. In the example of the Bluetooth protocol, the communication link preferably is established by the mere presence of each respective device (e.g., mobile computing device 20 and electronic document sender 30) in close proximity to each other. This instant  
30 synchronization enables users to immediately communicate with each other without taking time to manually establish a connection or communication link. If necessary, mobile computing device 20, electronic document sender 30, and

electronic document receiver 40 optionally communicate with each other through more conventional indirect routes such as wired or wireless network or internet links, or wired or wireless telecommunications networks. Finally, electronic document sender 30 optionally is directly connected to mobile  
5 computing device 20 and/or electronic document receiver 40 via direct communication links 94.

Electronic document sending system 10 is used in a method 100 of electronic document sending, according to one embodiment of the present invention. As shown in Figure 2, in a first step (102) of method 100, a user  
10 initiates electronic sending of an electronic document from electronic document sender 30 to target electronic document receiver 40 at electronic address 82. For example, a user may desire to send a document as electronic mail to the electronic mail address of a desktop computer. Accordingly the user activates a send functioning in user interface 70 of electronic document sender 30.

15 However, in some situations, the desired electronic address 82 will not be available in internal address book 75 of electronic document sender 30. The user must manually enter electronic address 82 into electronic document sender 30 or get electronic address 82 of electronic document receiver 40 from another source. Accordingly, in the next step(104) of method 100, user accesses user  
20 interface 70 of electronic document sender 30 to select an option to import electronic address(es) from external address book 62 of mobile computing device 20. Through direct or wireless communication (via wireless communication module 66), electronic address(es) from external address book 62 of mobile computing device 20 are imported into internal address book 75 of  
25 electronic document sender 30 (step 106). If not already performed, electronic document sender 30 images a paper document into an electronic document, and then sends the electronic document to electronic document receiver 40 using the imported electronic address 82, through wired or wireless communication (step 108).

30 Method 100 optionally includes another step 110, in which electronic document sender 30 erases imported electronic address(es) from internal address book 75 and/or from an activity log of electronic document sender 30. This step



insures the privacy and confidentiality of the user's electronic address information so that no trace remains of which documents were sent and where the documents were sent. Method 100 also optionally includes an additional step (step 112) in which user requests that electronic document sender 30 stores  
5 imported electronic address 82 in internal address book 75 of electronic document sender 30.

Accordingly, method 100 permits a user to operate any electronic document sender 30 with the same convenience as if it were their own personal electronic document sender, by allowing the user to easily access their own  
10 external address book 62 of mobile computing device 20. This arrangement permits the user to simply walkup to the electronic document sender and immediately send the electronic document while avoiding the error prone, time consuming manual entry of one or more electronic addresses into the electronic document sender. Moreover, the user can be assured of the safety and  
15 confidentiality of the information in their external address book 62 since any electronic addresses imported into electronic document sender 30 optionally are erased after their use in transmitting an electronic document.

Figure 3 shows an electronic document sending system 140 of the present invention which further illustrates electronic document sending system  
20 10. As shown in Figure 3, document sending system 140 includes mobile computing device(s) 150, such as personal digital assistant 152, mobile phone 154, portable computer 156, as well as electronic document sender 160 with user interface 70, and electronic document receiver 170. Electronic document receiver 170 includes any one of mobile phone 172, personal digital assistant  
25 174, portable computer 176, fax machine 178, desktop computer 180, and server 182. Mobile computing device 150, electronic document sender 160, and electronic document receiver 170, each carry substantially the same features and attributes as mobile computing device 20, electronic document sender 30, and electronic document receiver 40, as was described and illustrated in association  
30 with Figure 1.

Using method 100, the user employs one or more components of electronic document sending system 140 to send paper document 190 as

electronic document 192 from electronic document sender 160 to electronic document receiver 170 at electronic address 82 obtained from mobile computing device 150.

Figure 4 illustrates monitor 200 operating on user interface 70 (Fig. 1) of electronic document sender 30 for performing method 100 with system 10. User interface monitor 200 operates electronic document sender 30 and facilitates communication between mobile computing device 20, electronic document sender 30, and electronic document receiver 40. In one embodiment, user interface monitor 200 includes fax function 202, scan function 204, email function 206, and print function 208. User interface monitor 200 further includes alphanumeric keypad input device 210, target device address function 220, import address function 230, and internal address book monitor 240. Import address function 230 includes store function 232 and erase function 234 while internal address book monitor 240 further includes individual address(es) 242 and/or distribution list address(es) 244, each including at least one of a fax number, email address, uniform resource locator (URL), and/or host address. Internal address book monitor 240 also includes host address 246, which acts as a default for electronic document sender 30 to scan to host when no other target address is specified. New function 250 permits identification and entry of new electronic addresses.

Upon activation of import address function 230, the user is taken to import address monitor 300 in user interface 70 as shown in Figure 5. Import address monitor 300 comprises new address function 302 which includes individual address(es) function 304 and list address(es) function 306, each of which include fields for electronic addresses of the following types: fax, email, uniform resource locator (URL), and host. Import source function 310 allows the user to select the source from which addresses can be imported, such as mobile computing device source 312 and host source 314.

User interface 70, including associated user interface monitor 200 and import address monitor 300, can be implemented in hardware via a microprocessor, programmable logic device, or state machine, and firmware, or in software within a given device. In one aspect user interface 70 operates as a

touchscreen permitting activation of its functions without use a conventional keypad. In another aspect, at least a portion of the software programming is written in Java programming language, and user interface 70 communicates with other computing devices via network communication link 68 using a

5 communication bus protocol. For example, the present invention optionally can use a TCP/IP protocol suite for data transport. In another aspect, the present invention does not use a TCP/IP protocol suite for data transport. Other programming languages and communication bus protocols suitable for use with user interface 70 and system 10 will be apparent to those skilled in the art.

10 A system and method of the present invention for electronic document sending carries numerous advantageous features. Foremost, convenience and control are provided, by permitting an electronic document sender to obtain electronic addresses from an external address book of a mobile computing device. This feature allows a user to tap into their own well developed address  
15 book without the need to manually enter electronic addresses into in an electronic document sender, which is time-consuming. With large groups of addresses, such as distribution lists, the conventional manual entry process leads to many errors and wastes considerable time. In contrast, the feature of importing addresses from an external address book with method and system of  
20 the present invention is particularly effective for large distribution lists of electronic addresses. Accordingly, a method and system of the present invention permits walkup use of an electronic document sender by taking advantage of the wealth of electronic address information already contained in a mobile computing device personal to the user.

25 While specific embodiments have been illustrated and described, herein for purposes of description of the preferred embodiment, it will be appreciated by those of ordinary skill in the art that a wide variety of alternate and/or equivalent implementations may be substituted for the specific embodiments shown and described without departing from the scope of the present invention.  
30 Those with skill in the chemical, mechanical, electro-mechanical, electrical, and computer arts will readily appreciate that the present invention may be implemented in a very wide variety of embodiments. This application is

intended to cover any adaptations or variations of the preferred embodiments discussed herein. Therefore, it is manifestly intended that this invention be limited only by the claims and the equivalents thereof.

HP PDNO 10006174-1